Journal of Cleaner Production 227 (2019) 167–177

Contents lists available at ScienceDirect

Journal of Cleaner Production

journal homepage: www.elsevier.com/locate/jclepro

Score a goal for climate: Assessing the carbon footprint of travel patterns of the English Premier League clubs

Rodrigo Pinheiro Tóffano Pereira [a, *], Viachaslau Filimonau [b], Glaydston Mattos Ribeiro [c]

[a] Federal University of Goiás, Aparecida de Goiânia Campus, Faculty of Science and Technology, Rua Mucuri, S/N, Área 03, Bairro Conde dos Arcos, CEP, 74968-755, Aparecida de Goiânia-GO, Brazil
[b] Bournemouth University, Faculty of Management, Talbot Campus, Fern Barrow, Poole, Dorset, BH12 5BB, United Kingdom
[c] Transportation Engineering Program, Alberto Luiz Coimbra Institute for Graduate Studies and Research in Engineering, Federal University of Rio de Janeiro, Av. Horácio Macedo nº 2030, Prédio do Centro de Tecnologia, Bloco H, Sala 106, Cidade Universitária e Ilha do Fundão, CEP 21949-900, Rio de Janeiro-RJ, Brazil

ARTICLE INFO

Article history:
Received 19 July 2018
Received in revised form
10 April 2019
Accepted 13 April 2019
Available online 16 April 2019

Keywords:
Carbon footprint
Transportation
Sporting events
Football
English Premier League

ABSTRACT

Football is the most popular sport, globally and in the United Kingdom. However it generates a range of negative environmental impacts, such as climate change, due to an extensive amount of travel involved. The growing contribution of football clubs to the global carbon footprint has been recognised, but never consistently assessed. This study assesses the carbon footprint of the English Premier League (EPL) clubs, using the patterns of their domestic travel in the 2016/2017 season as a proxy for analysis. The study shows that, within the 2016/17 season, the EPL clubs produced circa 1134 tonnes of CO_2-eq. as a result of their travel, where transportation accounts for 61% of the carbon footprint. To reduce this carbon footprint, a careful review of the current corporate travel and procurement practices in the EPL clubs is necessary. This is in order to optimise the travel itineraries, prioritise more climate-benign modes of transport and contract budget accommodation providers with the 'green' credentials.

© 2019 Elsevier Ltd. All rights reserved.

1. Introduction

Global warming is responsible for climate change and, consequently, for the most varied impacts in the world (Pielke et al., 2007; Klein, 2011). Mitigating the consequences of climate change to reverse this scenario is one of the most significant challenges in today's society. The major challenge is the intensification of greenhouse gas (GHG) emissions from sources such as tourism (Abegg et al., 2007; Nemry and Demirel, 2012) and sporting events (Pereira et al., 2017). Its containment is an indispensable task, imposing the need to create and implement mitigation and adaptation measures (Enríquez-de-Salamanca et al., 2017).

Sporting events play an important role in the modern society (Gibson, 1998) as they hold a significant potential to boost the local economy, enhance subjective well-being of the public, facilitate tourism's growth and improve regional development (UNEP, 2012). The expansion of major sporting events in recent years (Kirkup and Sutherland, 2015) has prompted research on the characteristics of the host destinations (Agha and Taks, 2015). The opportunities and challenges attributed to hosting sporting events in specific destinations have been repeatedly scrutinised as a result (Getz, 1997; Weed and Bull, 2004; Collins et al. 2007, 2009; 2012). Due to their size and extensive media coverage, major and mega sporting events have become an object of prime investigation (Müller, 2015), as demonstrated by the related research on the *Fédération Internationale de Football Association*-FIFA World Cups™ (Kim and Petrick, 2005; Preuss, 2007; Du Plessis and Maennig, 2011; Korstanje et al., 2014) and the Olympic Games (Solberg and Preuss, 2007; Gratton & Preuss, 2008; Kaplanidou and Karadakis, 2010; Kaplanidou, 2012; Leopkey and Parent, 2012).

Environmental impacts represent an issue of particular concern for the destinations that host large-scale sporting events (Higham, 2005; Taks, 2013; McCool, 2015). Even the location of the infrastructure (airports, stadiums, hotel complexes, etc.) has a major impact (Triantafyllidis et al., 2018). At these destinations, environmental impacts are particularly pronounced in the case of greenhouse gas (GHG) emissions as these are substantial for sports (Manfredi et al., 2009). Despite the importance of mitigating the GHG emissions of sporting events, the related research agenda on carbon footprint assessment is under-developed (Schianetz et al.

* Corresponding author.
E-mail address: rodrigo_toffano@ufg.br (R.P. Tóffano Pereira).

https://doi.org/10.1016/j.jclepro.2019.04.138
0959-6526/© 2019 Elsevier Ltd. All rights reserved.

2007). It is, however, paramount to address the critical issues associated with the ways in which sporting events and tourism interact with the environment to ensure the sustainability of sports (Hinch et al., 2016). Thus, the agents involved with events have a great responsibility for their development and management, as well as in the evaluation of the local context (Giannoulakis et al., 2017). The destinations hosting sport events should encourage event attendees to adopt pro-environmental behaviour which is understood as the behaviour which consciously seeks to minimize the negative impact on the natural and built world (Han et al., 2015).

However, the quest of sporting events towards the goal of environmental sustainability is hindered by the marketing decisions of sporting event organisers and by the way the sporting events are managed. For example, the National Collegiate Athletics Association (NCAA) Division I athletic conferences have recently undergone conference realignments. The expanding geographic footprint of these conferences throughout the United States has led to teams having increased travel distances for all sports, especially American football (Farley et al., 2017). This is further exemplified by the case of the Super RugbY™ cup, whose managers have recently decided to expand the number of participating countries (Hinch et al. 2016). While the socio-economic benefits have risen sharply as a result of this decision, so have the GHG emissions attributed to the increased international travel of the participating sporting teams (Kruger, 2015). Travel is one of the main concerns of the tourism sector, since the main function of transportation in the tourism system is to take tourists from the regions of origin to the regions of destination (Robbins, 2003). In the case of the Super RugbY™ cup, this emphasises the point raised by Thibault (2009), who states that the GHG emissions from sports activities are immense and long-term but, for the most part, they go unnoticed in pursuit of short-term financial gains.

Among the different branches of sports, the problem of GHG emissions is particularly attributed to football (known as soccer in the USA). Football is the most popular sport globally, with an estimated 3.5 billion fan base (Wood, 2017). This popularity determines the disproportionally high, and yet growing, carbon intensity of football (Carbon Trust, 2013). That is, the total amount of GHG emissions caused, directly and indirectly, by a football match/championship. The direct emissions can be attributed to, for example, the emissions resulting from the displacement of fans and teams and/or the energy used in the stadia; the indirect emissions may arise, for instance, from the use of electronic appliances watching football games at home (Carbon Trust, 2013). Despite the increasing importance of the GHG emissions from football, the related research agenda is scarce. Existing studies are few and have predominantly focused on specific football events (see, for instance, Collins et al. 2007; Dolles and Soderman, 2010), while the longitudinal investigation of the carbon footprint of entire football tournaments and specific football teams has never been conducted. This calls for a change as effective mitigation of the GHG emissions in sports is only feasible when the magnitude of the carbon footprint attributed to the major actors is known.

This paper contributes to knowledge by assessing the carbon footprint associated with travel patterns of football teams (players and staff), or active football participants, within a major national sports competition. It is seen as a step in developing more complex carbon assessments in football that should be more holistic and inclusive in nature. The study outlines a methodological framework for assessing the carbon footprint of football teams' travel.

2. Environmental impact assessment of football

Sport tourism is one of the fastest growing forms of tourism internationally (Okayasu et al., 2010; Alexandris and Kaplanidou, 2014). This brings about substantial impacts, positive and negative (Gibson et al. 2012). According to Ritchie and Adair (2004), these impacts can be of five types: economic, social, environmental, legal and health-related. As opposed to the case of more generic research on sporting events, the research agenda on their specific impacts is less established (Thibault, 2009). Furthermore, existing studies have focused on the economic dimension of impacts of sporting events, while the social and environmental dimensions have largely been left aside (Kim and Petrick, 2005). This is an important drawback (Mallen and Chard, 2011) given that a balanced assessment of impacts is necessary to obtain a more holistic view and to develop more effective mitigation measures (Fredline et al. 2003).

Recently, there has been an increasing interest in understanding the environmental impacts of sports events, which is reflected in the growing number of studies conducted on this topic (IOC, 2004, 2006; Ecomass Programme, 2005; Wheeler and Naurright, 2006; Mallen et al., 2010). However, the environmental concerns in football are fairly recent (FIFA, 2014; Pereira et al., 2017). This is alarming given that football generates substantial environmental externalities attributed to excessive consumption of energy, significant amounts of water use and high levels of pollution (Collins et al., 2007; Carbon Trust, 2013; Miller, 2016). Despite the considerable environmental footprint of football, there is currently no single methodology to accurately assess its magnitude (FIFA, 2013) and the research agenda is restricted to a handful of studies conducted in the context of major and mega football events. These studies are highlighted below.

The first attempt to address the problem of excessive environmental impacts from football was made by FIFA during the 2006 Germany World Cup™. To this end, the Green Goal™ programme was developed to measure the environmental footprint of this event with a view of subsequent reduction (FIFA, 2006). The programme drew upon an earlier initiative of the International Olympic Committee, which had adopted the principles of sustainable development and applied them to the XVII Olympic Winter Games in Lillehammer, Norway, in 1994 (IOC, 2013). The Green Goal™ programme, later renamed as the Football for the Planet™ programme (FIFA, 2014), assessed the environmental implications of the Football World Cup in terms of energy and water use, transportation and waste generation (FIFA, 2006). According to FIFA (2013), this programme represented the first attempt to integrate the environmental management principles into the delivery of a mega football event, thus setting a new direction for international football. Hinch et al. (2016) point out that the 2006 FIFA World Cup Germany™ was exemplary in a way that it outlined a pathway towards the reduction of environmental impacts from football.

The principles of environmental management were further adopted by the organisers of the UEFA Euro 2008™ Cup in Austria & Switzerland and the FIFA World Cup (2010) in South Africa™ (UEFA Euro, 2008; FIFA, 2010). The carbon footprint assessments conducted for the latter event indicated that the GHG emissions from the 2010 FIFA World Cup in South Africa grew nine-fold compared to the GHG emissions from the 2006 FIFA World Cup in Germany (McCarthy, 2009). The largest share was attributed to international (64%) and domestic (18%) travel (Econ Pöyry AB, 2009), thus emphasizing the urgency of carbon mitigation in football and outlining the key areas for mitigation intervention, i.e. travel. The Green Goal™ programme raised public awareness of the carbon implications of football mega events and contributed to the development of first measures for their reduction. For instance, for the 2011 FIFA U-20 World Cup in Colombia™, FIFA offset the 9,000 tonnes of GHG emissions generated during the event by planting an additional 35,000 trees in the Colombian Andes (FIFA, 2011). The

most recent 2014 FIFA World Cup in Brazil™ produced accurate estimates of its GHG emissions, demonstrating that the main impact (84% or 2.7 million tonnes of CO_2-eq.) came from national and international travel (FIFA, 2013; Miller, 2016). For comparison, this is almost the amount of the carbon footprint generated by the entire nation of Malta in 2014 (Global Carbon Project-GCP, 2015). These FIFA efforts marked a milestone in the development of the environmental sustainability thinking in football as it moved from specific mega events, such as the FIFA Men's and Women's World Cups (OC, 2011), to particular continental and national football tournaments.

Although the environmental concerns highlighted by FIFA have been disseminated to the organisers of all major national football tournaments and their participants (football clubs), the latter have been slow in embracing the principles of environmental management and applying them to their operations (Jenkins, 2012). This is alarming given that national football competitions and specific football clubs are well positioned to not only reduce their environmental impacts, but also to educate their supporters, thus raising public awareness of the environmental footprint of football and highlighting the need for its mitigation. For example, selected German Bundesliga clubs have adopted a number of initiatives to tackle the problem of climate change (Reiche, 2013), ranging from the: promotion of public transportation with combined tickets to stadia and free use of public transport (all clubs, except one); solar energy generation on stadia roofs (five clubs); green electricity procurement (four clubs); adoption of the Environmental Management Systems (EMSs) in the stadia and club offices (10 clubs); and carbon offsetting (three clubs). In a similar way, the Fluminense Football Club in Brazil conducts regular monitoring of the GHG emissions attributed to its operations (Rodrigues Filho, 2016), finding that the largest contribution is made by the club's transportation activities, such as team travel to away games (Fluminense, 2014; Saporta et al., 2016). Aside from these examples, an extensive analysis of the literature and corporate materials published online by the football clubs playing in major European and South American leagues has revealed no further evidence of the adoption of environmental sustainability thinking by the organisers of national football tournaments and their participants, i.e. football clubs.

In England, the sustainability implications of football have been acknowledged (Dickson and Arcodia, 2010; House of Lords, 2013). Existing research has addressed a number of issues related to the societal (i.e. the health and fitness levels of football players) (Di Salvo et al., 2009; Gregson et al., 2010) and economic (i.e. marketing and revenue generation) (Chadwick and Clowes, 1998; Barros and Leach, 2006) dimensions of sustainability. However, the environmental dimension of English football and, especially, its carbon repercussions have not yet become an established research item (Hickman, 2011), with extant research being limited to a handful of studies that focus on specific, short-term and one-off, events. For example, Collins et al. (2007) assessed the environmental consequences of the FA Cup 2003/04 final and the Carbon Trust (2013) unveiled the carbon footprint of watching football during the FA Cup 2010/11. With a notable exception of Newcastle United FC, which is a self-proclaimed 'first carbon positive club in the world' (AOL-UK, 2012), the literature review and the analysis of corporate materials published by the English football clubs online has revealed no further evidence of the application of environmental sustainability thinking in the context of English football.

2.1. The English Premier League (EPL)

The EPL is a major professional football competition in England which was first organised by the Football Association (FA) in 1992 (Premier League, 2016). It consists of twenty clubs playing in an 'all-play-all' tournament where each club plays against opponents twice, at home and away, thus totalling 380 matches. The popularity of the EPL is substantial (House of Lords, 2013) and it is estimated that circa 800,000 foreign tourists (or 40% of total international tourists in the UK) attended and/or watched its football matches in the 2014/2015 season (EY-Ernst and Young, 2015; Visit Britain, 2015). The EPL provides 103,354 jobs and generates £6.2 billion in economic outputs, thus contributing with approximately £3.4 billion, or 0.2%, to the national gross domestic product in 2013/14 (EY-Ernst and Young, 2015).

Besides significant domestic popularity, the international power of the EPL is also substantial. It is the third most important competition (Table 1) in the UEFA's league coefficients (UEFA, 2017). The EPL is also the third largest revenue generator of all sports leagues in the world and the first in football, right behind the two major North American sports leagues, i.e. the National Football League and the Major League Baseball (Harris, 2015). This makes the EPL clubs the richest in the world as, according to Delloite (2016), among the 30 football clubs with the highest global income in 2014/15, 17 were from EPL. Lastly, the EPL is the most-watched sports league in the world as it is broadcast in 175 countries to 645 million homes and holds a potential total TV audience of 4.7 billion people (Ebner, 2013; EY-Ernst and Young, 2015). The large scale of the EPL suggests that it should be considered a mega-event (Müller, 2015).

Given the magnitude of the EPL football tournament, it is surprising that its carbon impacts have been neglected in terms of research. As an exception, the Carbon Trust (2013) assessed the GHG emissions from the FA Community Shield match between Manchester United and Wigan to find these to be equal to circa 5,160 tonnes of CO_2, with 5,000 tonnes, or 96.9%, arising from total travel (teams' plus fans' travel). This finding is in line with Collins et al. (2007) who identified travel as the largest contributor to the environmental footprint of the FA Cup matches in England. The substantial carbon impacts caused by transportation to/from EPL football games, coupled with a high international profile of the EPL, makes it an interesting research object for carbon footprint analysis.

3. Method

3.1. Data collection and distance calculation

The subsequent analysis is based on the EPL participants (clubs) in the 2016/2017 season (Fig. 1). First, the information on the participants' host cities, host stadia (and their capacity), and the nearest airport and train stations was compiled (Table 2). The calendar of matches in the 2016/2017 season was then checked (Premier League, 2017). The 18 playing rounds were analysed in order to identify the travel itineraries of clubs.

As the literature review showed that travel accounts for the largest share of carbon footprint from sporting events, it was necessary to understand the travel patterns of the EPL teams. To this end, all 20 clubs were contacted within the period of October-November 2016. A self-completion questionnaire was developed and emailed to the clubs to collect the necessary data on the means of transportation and the type of accommodation used in their away games. A number of football clubs refused to participate in the survey due to alleged confidentiality of the data requested. However, the data obtained from the remaining willing clubs allowed generalisations to be made to establish the travel and accommodation patterns across the sample.

Three means of transportation indicated by the clubs were considered in this study: coach, train and airplane. Among these, coach was preferred for short-distance trips due to low cost, flexibility and an opportunity to establish a particular travel itinerary.

Table 1
Major European football leagues. Bold letters indicate the highest figures in each category.

UEFA 2016/2017			League Size (Number of Clubs) 2016/2017[b]	Total Attendance 2015/2016[c]	Average Attendance per game 2015/2016[c]	Total Players' Market Value 2016/2017[b]
Importance Leagues[a]		Coefficient (points)*[a]				
1-	La Liga (Spain)	**99.998**	**20**	10,541,027	27,739	£3.08bn
2-	Bundesliga (Germany)	77.498	18	13,252,808	**43,309**	£2.20bn
3-	Premier League (England)	73.391	**20**	**13,851,698**	36,451	**£4.17bn**
4-	Serie A (Italy)	70.998	**20**	8,466,518	22,339	£2.37bn
5-	Ligue 1 (France)	53.999	**20**	7,920,621	20,898	£1.49bn
6-	Premier League (Russia)	50.332	16	2,609,275	11,056	£0.6bn
7-	Liga NOS (Portugal)	49.332	18	3,268,572	10,895	£0.7bn

*The coefficient points are based on the results of each association's clubs' performance for the five previous UEFA Champions League and UEFA Europe League seasons. Adapted from: [a] UEFA (2017), [b] Transfermarkt (2017), [c] ESPN FC (2016).

Train was preferred for medium-haul and long-haul journeys, while airplane was preferred for long-haul trips. To get to an airport and/or a train station, the EPL clubs make use of coach and this additional travel was also considered. Here, the individual trips of club players and staff, by private car or taxi, from their teams to their residences, or in the opposite direction, were excluded due to data availability.

The maximum travel distance identified in this study as suitable for the use of coach was 257.49 km such as, for example, the distance travelled by Bournemouth FC to Swansea. This maximum distance is covered in approximately 3 h, depending on traffic conditions, and does not cause discomfort for players. Distances greater than 257.49 km are served by commercial flights. The maximum distance identified for train travel was 344 km, which can be covered in approximately three and a half hours. Travel by train offers less flexibility compared to coach and is therefore less preferred by the EPL teams. Train is however utilised by the EPL clubs based outside London when travelling to and from London. This is because coach trips to London can be unreliable due to the unpredictability of local traffic conditions. The London-based EPL clubs make use of train when attending away games in a direct proximity to London for the same reason. Longer distances are covered by airplane, which is partially due to the issue of comfort and, partially, for the sake of team security. For distance calculations, the following sources were used: RailMiles (2016) for train; Travelmath (2016) for airplane; and AA-Automobile Association (2016) for coach trips. The start/finish point for all journeys was assumed to be in the centre of an EPL club's home town. The EPL clubs choose overnight accommodation for the away games if a one-way travel distance exceeds 64.37 km.

The size of a travel delegation considered for the GHG emissions from transportation of the EPL clubs was determined from the information available in the public domain as well as provided by the teams (Table 2). According to the EPL regulations, each team can nominate 11 regular players and 7 reserves for each match (Premier League, 2017). The number of support staff in trips varies from team to team. The size of a support delegation for the Leicester City Football Club (LCFC) was used as a proxy (Table 3). Thus, an average size of a travel party for an EPL team was calculated to consist of 39 members. This is close to an average of 45 members per travel delegation utilised by CO2ZERO (2012) to assess the carbon footprint of football team travelling to partake in the FIFA World Cup 2014™ in Brazil.

3.2. The carbon footprint assessment method

The carbon footprint assessment method developed by the UK's Department of the Environment, Food and Rural Affairs (DEFRA) was used. This is one of the most established tools to assess the carbon footprint from various industrial and transport processes in the UK (DEFRA, 2016) which justifies its choice for this study. DEFRA assesses the magnitude of carbon footprint in kilograms of carbon dioxide equivalents (kg CO_2-eq). This is an official unit of carbon footprint estimates as prescribed by the Intergovernmental Panel on Climate Change (IPCC, 2007). The unique feature of the method by DEFRA is in that it is capable of estimating not only the 'direct', but also some of the 'indirect' carbon impacts, such as those arising from fuel chain (DEFRA, 2015a). The 'indirect' GHG emissions, such as those associated with capital goods and infrastructure, are excluded from the DEFRA's analysis which can be seen as a drawback of this method (DEFRA, 2015b).

The carbon intensity of accommodation for away games was derived from the literature as DEFRA does not provide these data. It was assumed that the EPL clubs stay in upmarket and luxury hotels due to the superior levels of comfort they provide. Thus, the value of 34.32 kg CO_2-eq. per guest night proposed by CarbonNeutral Company (2008 cited Chenoweth, 2009), for UK luxury hotels was used.

The training, leisure and catering activities carried out by the EPL clubs at a destination were disregarded. This is because all EPL clubs reported these to be short and insignificant. This is further due to the fact that leisure activities hold a small share, at around 3–5%, in the total carbon footprint of tourism (UNWTO, 2007), while their assessment is problematic due to data availability and systematisation (Becken and Simmons, 2002). The exclusion of the leisure activities is, therefore, deemed feasible and yet it is acknowledged as one of the shortcomings of the analysis. Table 4 presents the carbon intensity coefficients used in this study.

The carbon footprint of the trips was calculated by multiplying the distances travelled (by the different means of transportation) by the average number of participants of each football team (39 people), as well as by the coefficients presented in Table 4. Likewise, for the carbon footprint of accommodation, the size of the teams was multiplied by the number of hotel nights in away games, by the value of 34.32 kg CO_2-eq. per guest night, as per above.

4. Results

The analysis shows that air travel (102,605 km) was the most widespread means of transportation by the EPL clubs (Table 5). The largest air distance travelled (475 km) was between the cities of Bournemouth (AFC Bournemouth) and Newcastle upon Tyne (nearest airport to Sunderland AFC). However, the team that used it the most was Swansea City AFC (for 17 away matches). Train represented the least used means of transportation, with the eight clubs based in the north of England and in Wales not using it at all. Coach is the second most popular mode of travel and, yet, it has only been used twice by AFC Bournemouth and Swansea City AFC.

The EPL clubs travelled the total distance of 181,791 km in the season 2016/17, having produced 695,452 kg CO_2-eq. (Fig. 2), with

Fig. 1. UK Map with locations of EPL clubs - Season 2016/17.

589.638 kg CO_2-eq. or about 85% arising from air travel. Air travel is the largest generator of carbon impacts in tourism (Becken, 2001; Peeters et al., 2006; Hanandeh, 2013; Farley et al., 2017), which is further confirmed herewith (5.75 kg CO_2-eq per km travelled). Travel by train (21,950 km) produced 41,818 kg CO_2-eq. (or 1.91 kg CO_2-eq per km travelled) while travel by coach (57,236 km) generated 63,996 kg CO_2-eq. (or 1.12 kg CO_2-eq per km travelled) making it more efficient in carbon terms, which is in line with the literature (Zachariadis and Kouvaritakis, 2003; Brand and Boardman, 2008; Filimonau et al., 2013). Travel by coach is therefore the best option in climate terms. It is comfortable and flexible means of transportation whose major drawback is in its dependence on traffic conditions, especially when driving in major metropolitan areas, such as London, Liverpool and Manchester. For trips to these metropolitan areas, train represents a viable and more carbon-efficient alternative.

The transportation element holds the largest share (about 61.3%) in the GHG emissions attributed to EPL club travel (Fig. 2). The contribution of accommodation is lower (about 38.7%) and yet considerable, predominantly due to the stay in upmarket and

Table 2
Participants of the EPL in season 2016/17.

Club	City of Origin	Stadium	Capacity [a]	Nearest Train Station (When used)	Nearest Airport	Registered Players [b]
Arsenal	London	Emirates Stadium	60,432	London Euston/London St Pancras/Waterloo Station	London City Airport	39
Bournemouth	Bournemouth	Dean Court	11,464	Bournemouth Station	Bournemouth Airport	31
Burnley	Burnley	Turf Moor	22,546	Burnley Central	Leeds Bradford International Airport	26
Chelsea	London	Stamford Bridge	41,623	London Euston/London St Pancras/Waterloo	Heathrow Airport	24
Crystal Palace	London	Selhurst Park	26,309	Station	London City Airport	33
Everton	Liverpool	Goodison Park	40,569	Liverpool Lime Street	John Lennon Airport	29
Hull City	Hull	KCOM Stadium	25,404	Hull Paragon Interchange	Humberside Airport	31
Leicester City	Leicester	King Power	32,500	Leicester Station	East Midlands Airport	28
Liverpool	Liverpool	Anfield Stadium	54,167	Liverpool Lime Street	John Lennon Airport	29
Manchester City	Manchester	City of Manchester	55,097	Manchester Piccadilly	Manchester Airport	28
Manchester United	Manchester	Old Trafford	76,100		Manchester Airport	26
Middlesbrough	Middlesbrough	Riverside Stadium	35,100	Middlesbrough Station	Durham Tees Valley International Airport	26
Southampton	Southampton	St Mary's Stadium	32,689	Southampton Station	Southampton Airport	32
Stoke City	Stoke-on-Trent	Bet365 Stadium	28,383	Stoke-on-Trent Station	Manchester Airport	27
Sunderland	Sunderland	Stadium of Light	49,000	Sunderland Station	Newcastle International Airport	36
Swansea City	Swansea	Liberty Stadium	20,972	Swansea Station	Cardiff Airport	26
Tottenham Hotspur	London	White Hart Lane	36,274	London Euston/London St Pancras/Waterloo Station	London City Airport	31
Watford	Watford	Vicarage Road	21,977	Watford Junction	London Luton Airport	33
West Bromwich Albion	West Bromwich	The Hawthorns	26,500	The Hawthorns Station	Birmingham Airport	25
West Ham United	London	Olympic Stadium	57,000	London Euston/London St Pancras/Waterloo Station	London City Airport	33

[a] Belfast Telegraph (2016). Premier League club guide 2016/17. Football Stats, July, 22. Available at: http://www.belfasttelegraph.co.uk/sport/football/premier-league/premier-league-club-guide-201617-34903616.html. Retrieved October 14, 2016.
[b] Premier League (2016). Premier League, 2016/17. Available at: https://www.premierleague.com/players. Retrieved October 11, 2016.

Table 3
LCFC staff composition for the 2016/17 season.

Staff Sector	Detailed description of employees	Number
Coaching Staff	Manager; Goalkeeper Coach; General Assistants	6
Medical Staff	Doctor and Physiotherapists	4
Sport Science Staff	Nutritionists and Physical Trainers	6
Performance Analysis and Recruitment	Tactical Analyst; Heads of Sports Science and Performance Analysis and others	5
TOTAL:		**21**

Source: Based on the LCFC (2017) information.

Table 4
The carbon intensity factors for transportation (kg CO_2-eq.).

Mode of transportation	Unit of measurement	Direct and fuel chain related 'indirect' GHG emissions
Train[a]	Passenger	0.04885[b]
Coach[c]	Km	0.02867[d]
Air Travel[e*]	Km	0.14735

[a] The factor has been derived by DEFRA from the Office of the Rail Regulator's National rail trends for 2014–15 (DEFRA, 2016).
[b] 'National passenger rail' category.
[c] DEFRA (2016) indicates that the average occupancy is 17.56%, however it acknowledges that this occupancy can be significantly higher in reality; hence, the occupancy value of 75% and the maximum load factor of 49 were utilised instead as suggested by Filimonau et al. (2014).
[d] Value updated by DEFRA (2016).
[e] Assuming domestic occupancy of UK flights is equal to 72% with the maximum load factor of 190.
[*] Estimates of the GHG emissions from air travel do not include the radiative forcing (RF) effect (see, for example, Berners-Lee et al., 2011 for more details).

luxury accommodation facilities that are more carbon intense compared to budget hotels (Filimonau et al., 2011). Table 5 shows that, on average, each club has 16 overnight hotel stays which is equivalent to the carbon footprint of 21,951 kg CO_2-eq. per club. However, for four clubs (Burnley FC, Leicester City FC, Stoke City FC and West Bromwich Albion FC) the carbon footprint from accommodation is larger than the cumulative GHG emissions from transportation. This carbon footprint can be reduced if the EPL clubs make use of budget hotels. This is deemed appropriate given that, according to the data supplied by the clubs, they do not benefit from the use of the luxury hotels' facilities (such as spas) due to a short term of their overnight stay. The variety of facilities and functions available 24 h a day in luxury hotels are the key contributors to their high energy consumption and associated GHG emissions (Deng, 2003; Khemiri and Hassairi, 2005; Filimonau et al., 2011).

Table 5
Number of games, hotel stays and the distance travelled by each EPL club using the different means of transportation. Bold letters indicate the highest figure in each category.

Football Club	Airplane		Coach		Train		Total	Away Hotel (days)
	Games	Km travelled	Games	km travelled	Games	km travelled	km travelled	
Arsenal	10	5,720	5	1,429	4	1,294	8,443	14
Bournemouth	11	6,875	2	1,838	**6**	2,124	10,837	18
Burnley	3	1,934	10	3,223	**6**	**4,075**	9,233	17
Chelsea	10	5,443	5	1,609	4	1,294	8,346	14
Crystal Palace	10	5,720	5	1,696	4	1,294	8,709	14
Everton	10	5,263	9	3,095	-	-	8,357	16
Hull City	9	4,609	10	**4,832**	-	-	9,441	**19**
Leicester City	4	1,796	10	4,054	5	1,577	7,427	**19**
Liverpool	10	5,263	9	3,100	-	-	8,363	16
Manchester City	9	4,574	10	3,062	-	-	7,636	15
Manchester United	9	4,574	10	3,096	-	-	7,669	15
Middlesbrough	10	6,917	9	4,241	-	-	11,158	18
Southampton	10	6,164	3	1,972	**6**	1,564	9,700	18
Stoke City	5	2,256	8	2,702	**6**	2,746	7,704	18
Sunderland	14	**9,785**	5	3,544	-	-	**13,329**	18
Swansea City	**17**	8,488	2	4,217	-	-	12,704	**19**
Tottenham	10	5,720	5	1,655	4	1,294	8,668	14
Watford	9	4,377	6	2,328	4	1,511	8,217	14
West Bromwich	3	1,410	**11**	4,023	5	1,883	7,316	18
West Ham United	10	5,720	5	1,521	4	1,294	8,534	14
Total:	**183**	**102,605**	**139**	**57,236**	**58**	**21,950**	**181,791**	**328**
Total (%):	**48.17**	**56.44**	**36.57**	**31.49**	**15.26**	**12.07**	**100%**	**-**
Average:	**9,35**	**5,130**	**7.17**	**2,862**	**2.47**	**1,098**	**9,090**	**16**



Fig. 2. The carbon footprint (t CO_2-eq.) from EPL clubs.

Fig. 2 shows that the EPL clubs generate 56,724 kg CO_2-eq. on average, with the Hull City AFC being the most representative team in this regard. The geographical origin of the clubs participating in the EPL affects the magnitude of their carbon footprint, i.e. the teams located remotely and/or farther from the centre of England, such as Sunderland AFC, produce more GHG emissions. The central location of West Bromwich Albion FC (Fig. 1) determines its low carbon footprint which is equivalent to the total GHG emissions from train travel made by all EPL teams (Fig. 2).

The total carbon footprint attributed to EPL club travel in the season 2016/17 is 1,134,477 kg CO_2-eq or 29,089.15 kg CO_2-eq per member of delegation. This is equivalent to 483,230 litters of petrol consumed or 240 passenger vehicles driven for one year or 4,375,727 km driven by an average passenger vehicle; this is also equivalent to 109 laps made around the Earth by car (EPA, 2016).

5. Discussion

Given the disproportionally high share of air travel in the total carbon footprint of EPL club travel, this transportation mode represents a major mitigation opportunity. Playing games at 'neutral' stadia has the potential to reduce the carbon footprint of EPL clubs which is illustrated on the basis of the Southampton FC versus Hull City AFC away game example. Using the method from this study, return travel from Southampton to Hull would involve 80.5 km by coach (90 kg CO_2-eq.), 602 km by airplane (3459.48 kg CO_2-eq.) and one overnight hotel stay (454.35 kg CO_2-eq.). Local travel from the Hull City AFC to its stadium would add 8.64 kg CO_2-eq. to this number, thus totalling 4,012.47 kg CO_2-eq. However, if this match was played at the Hawthorns Stadium of the West Bromwich Albion FC, a stadium of equal capacity (Table 2) but located midway for both clubs, the carbon footprint would be reduced by 51.35% to 1,952.38 kg CO_2-eq. There would be no need for air travel and the two clubs would travel by coach, covering a total of 933.42 km and generating 1,043.68 kg CO_2-eq. The remaining carbon footprint would arise from hotel stay which would increase in this specific case given that both clubs would need to stay in West Bromwich overnight. In the case of a 'neutral' stadium, the carbon footprint of hotels tends to increase because, in this case, both clubs will play away from home. However, since the reduction in carbon footprint of transportation is considerable, this option can be considered feasible. The concern with the location of stadia is in agreement with Triantafyllidis et al. (2018) who show correlation between carbon dioxide emissions and location of football facilities. This reduction is due to the choice of the new means of transportation to reach the stadia as in the example of the EPL clubs above. In the long-term perspective, another mitigation option might rest in the use of aviation biofuels (IATA, 2013). The British Airways (BA) operate the majority of domestic flights in the UK (Morris, 2016) and are a preferred carrier for most EPL clubs. The BA are one of the many airlines trialling aviation biofuels (Stecker et al. 2014). Procurement policies of the EPL clubs can be amended in a way that, in the future, air travel services provided by the BA for away games should be operated on biofuel-driven flights.

Same also holds true when devising carbon mitigation strategies for hotel accommodation. The EPL clubs should strive to stay in hotels that have implemented sound GHG emission reduction measures (Chou, 2014; Chan and Ho, 2006). The 'green' procurement strategies adopted and regularly monitored by the EPL clubs can lead to hotel competition in the UK, i.e. where accommodation providers would compete with each other for the right to host football clubs. The EPL clubs would then use the 'green' or climatic credentials of hotels as one of the major selection criteria for contracting. The importance of collaboration between event organisers is relevant in behavioural intentions, that is, in the satisfaction of technical committees, as highlighted by Kaplanidou and Gibson (2010).

The potential for mitigation of the carbon footprint from travel of the EPL clubs should be examined in future research work, especially from the viewpoint of economic viability. It needs to be checked whether the measures proposed increase costs and therefore become unviable from the club's management perspective. Identifying the mitigation costs is still a difficult task, but academic interest to this subject area has been growing (Deegan, 2002; Gray et al., 1995). Definition of the mitigation costs is a way to achieve a better environmental quality so that everyone can identify more clearly the policy adopted by their managers (Burnett and Hansen, 2008).

At a time when public and private agencies recognise the importance of sustainable development, the environmental impacts of mega sporting events are commanding increasing attention (Collins et al., 2009). Hence, the findings of this study have important implications for EPL club managers and UK transportation and environmental policy makers. Sports tourism events, such as the national football tournament in England, have large audiences and a high public profile. The sustainability commitments of the EPL clubs should be reinforced and monitored to ensure they stay up-to-date. They should further be broadcast to the public to raise public awareness about the environmental footprint attached to football. A comparative analysis of the EPL and other national football competitions is necessary to facilitate the exchange of information and know-how across the countries (Thibault, 2009). This is because the different views of the same problem can stimulate more effective search for viable solutions on a common basis and account for political and cultural differences (Collins et al., 2007).

6. Limitations and future research

This research had a number of limitations that should be addressed in the future work.

First, football clubs should facilitate research on carbon intensity of football by publicly disclosing information on their travel itineraries and collaborating more closely with academics. For example, for the accomplishment of this work, there was a great difficulty to obtain information from the clubs due to perceived commercially sensitivity of the data on travel.

Second, this study focused on the GHG emissions from EPL club travel, thus excluding the 'indirect' carbon footprint attributed to club administrative and support workers, operation of stadia, journalists and, most importantly, the public (namely club fans, or supporters, who regularly attend home and away games of their favourite clubs, and club amateurs who follow the games on TV and via any other means of technology). Future research should be developed encompassing all components of the national football tournaments, i.e. EPL club travel, their administration and management, travel of supporters and all the 'indirect' activities attributed to following football games online as well as offline. In particular, the carbon footprint of club supporters should be accounted for if future assessments of GHG emissions from football are to be comprehensive. This is because the 2015/16 EPL season had the total audience of 13,851,698 people (ESPN FC, 2016) implying significant impacts attributed to fan travel to support the EPL games and watch these on TV. Indeed, football amateurs or the 'passive public', according to Gibson (2003), increase the carbon intensity of football substantially. For example, the Carbon Trust (2013) attempted to estimate the GHG emissions arising from watching football games on the different types of media and demonstrated that the carbon figures are high but difficult to assess. This carbon footprint should be a priority topic for future

research.

Lastly, the next step towards more holistic assessments of carbon footprint from football should, thus, involve a better understanding of the travel and football watching habits of football club supporters. This information can be collated by the EPL clubs to aid in developing more effective marketing strategies and using the data collected for the design of carbon mitigation measures.

7. Conclusions

This study assessed the carbon footprint of travel attributed to the EPL clubs, one of the most important national football tournaments in the world. It showed that:

1) The choice of travel means by club management greatly affected the GHG emissions from club travel, thus outlining opportunities for mitigation.
2) Aside from reducing the frequency of air travel, the study demonstrated that the choice of stadia and overnight accommodation can affect the carbon footprint of the EPL clubs.
3) This suggests that the 'green procurement' strategies need to be adopted by club management when selecting stadia locations and accommodation providers.
4) Development of effective carbon mitigation measures is important in the football context, not only because this sport is growing in popularity while producing the disproportionally significant GHG emissions, but also because it has a high public profile. This implies that the sustainability interventions adopted by the EPL clubs will not go unnoticed, thus raising consumer awareness about the carbon intensity of football and, possibly, enhancing more responsible day-to-day consumer behaviour.
5) The leadership of the EPL clubs in environmental sustainability could attract sponsors that appreciate and share their corporate sustainability values. Policy-makers can further facilitate these sustainability commitments of the EPL clubs by offering tax incentives and subsidies for the implementation of the 'green' solutions at their stadia and during their travel.

Acknowledgements

The authors are grateful to the management of the EPL clubs who granted permission to collect primary data for this study. The authors acknowledge the Brazilian National Council for Scientific and Technological Development (in Portuguese, *Conselho Nacional de Desenvolvimento Científico e Tecnológico*) (Grant numbers 313408/2014-9 and 438855/2018-3) for the financial support provided as part of this project.

References

AA-Automobile Association, 2016. Mileage calculator. AA, 2016. Available at: http://www.theaa.com/driving/mileage-calculator.jsp. (Accessed 24 February 2017).
Abegg, B., Agrawala, S., Crick, F., Montfalcon, A. de, 2007. Climate change impacts and adaptation in winter tourism. In: Agrawala, S. (Ed.), Climate Change in the European Alps. OECD, Paris, pp. 25–60.
Agha, N., Taks, M., 2015. A theoretical comparison of the economic impact of large and small events. In: International Journal of Sport Finance, vol. 10, pp. 199–216.
Alexandris, K., Kaplanidou, K., 2014. Marketing sport event tourism: sport tourist behaviors and destination provisions. Sport Market. Q. 23, 125–126.
AOL-UK, 2012. Newcastle United is 'World's first carbon positive club'. Huffpost Sport, 05/12. Available at: http://www.huffingtonpost.co.uk/2012/12/05/newcastle-united-worlds-carbon-positive_n_2243750.html. (Accessed 2 March 2017).
Barros, C.P., Leach, S., 2006. Performance evaluation of the English Premier Football League with data envelopment analysis. J. Appl. Econ. 38 (12).
Becken, S., 2001. Tourism and Transport in New Zealand: Implications for Energy Use. Tourism Recreation Research and Education Centre (TRREC) Report No. 54. July. Lincoln University.
Becken, S., Simmons, D.G., 2002. Understanding energy consumption patterns of tourist attractions and activities in New Zealand. Tourism Manag. 23 (4), 343–354.
Berners-Lee, M., Howard, D.C., Moss, J., Kaivanto, K., Scott, W.A., 2011. Greenhouse gas footprinting for small businesses e the use of input-output data. Sci. Total Environ. 409 (5), 883–891.
Brand, C., Boardman, B., 2008. Taming of the few e the unequal distribution of greenhouse gas emissions from personal travel in the UK. Energy Policy 36 (1), 224–238.
Burnett, R., Hansen, D., 2008. Ecoefficiency: defining a role for environmental cost management. Account. Org. Soc. 33, 551–581.
Carbon Trust, 2013. Carbon Trust unlaces the 'carbon bootprint' of watching football. Carbon Trust, August, 09. Available at: https://www.carbontrust.com/about-us/press/2013/08/carbon-trust-unlaces-carbon-bootprint-of-watching-football/. (Accessed 24 February 2017).
Chadwick, S., Clowes, J., 1998. The use of extension strategies by clubs in the English Football Premier League. J. Manag. Leisure 3 (4).
Chan, W.W., Ho, K., 2006. Hotels' environmental management systems (ISO 14001): creative financing strategy. Int. J. Contemp. Hosp. Manag. 18 (4), 302–316.
Chenoweth, J., 2009. Is tourism with a low impact on climate possible?. In: Worldwide Hospitality and Tourism Themes, vol. 1, pp. 274–287 (3).
Chou, C.J., 2014. Hotels' environmental policies and employee personal environmental beliefs: interactions and outcomes. Tourism Manag. 40, 436–446.
CO2ZERO-Edição de Informações e Serviços Ltda, 2012. Brasil 2014 - Estudo de impacto de emissões em CO2 equivalente. São Paulo-SP.
Collins, A., Flynn, A., Munday, M., Roberts, A., 2007. Assessing the environmental consequences of major sporting events: the 2003/04 FA Cup Final. Urban Stud. 44, 457–476.
Collins, A., Jones, C., Munday, M., 2009. Assessing the environmental impacts of mega sporting events: two options? Tourism Manag. 30 (6), 828–837.
Collins, A., Munday, M., Roberts, A., 2012. Environmental consequences of tourism consumption at major events: an analysis of the UK stages of the 2007 Tour de France. J. Travel Res. 51, 577–590.
Deegan, C., 2002. Introduction: the legitimizing effect of social and environmental disclosures – a theoretical foundation. Account. Audit. Account. J. 15 (3), 282–311.
DEFRA-Department for Environment, Food and Rural Affairs, 2015a. Greenhouse gas conversion factor repository. Available at: http://www.ukconversionfactorscarbon_smart.co.uk/. (Accessed 8 January 2017).
DEFRA-Department for Environment, Food and Rural Affairs, 2015b. 2015 Government GHG conversion factors for company reporting: methodology paper for emission factors. Final Report, June, 2015. Available at: http://www.ukconversionfactorscarbonsmart.co.uk/Documents/Emission%20Factor%20Methodology%20Paper%20-%202015.pdf. (Accessed 8 January 2017).
DEFRA-Department for Environment, Food and Rural Affairs, 2016. Greenhouse gas reporting - conversion factors 2016. Last updated: October, 05 2016. Available at: https://www.gov.uk/government/publications/greenhouse-gas-reporting-conversion-factors-2016. (Accessed 18 November 2016).
Delloite, 2016. Top of the table football money league. Sports business group. Available at: https://www2.deloitte.com/uk/en/pages/sports-business-group/articles/deloitte-football-money-league.html. (Accessed 18 January 2016).
Deng, S.M., 2003. Energy and water uses and their performance explanatory indicators in hotels in Hong Kong. Energy Build. 35 (8), 775–784.
Di Salvo, V., Gregson, W., Atkinson, G., Tordoff, P., Drust, B., 2009. Analysis of high intensity activity in premier league soccer. Int. J. Sports Med. 30 (3), 205–212.
Dickson, C., Arcodia, C., 2010. Promoting sustainable event practice: the role of professional associations. Int. J. Hosp. Manag. 29, 236–244.
Dolles, H., Soderman, S., 2010. Addressing ecology and sustainability in mega-sporting events: the 2006 Football World Cup in Germany. J. Manag. Organ. 16 (4), 587–600.
Du Plessis, S., Maennig, W., 2011. The 2010 FIFA World Cup high-frequency data economics: effects on international tourism and awareness for South Africa. Dev. South Afr. 28 (3), 349–365.
Ebner, S., 2013. History and time are key to power of football, says Premier League chief. The Times, July, 03, 2013. Available at: http://www.thetimes.co.uk/tto/public/ceo-summit/article3804923.ece. (Accessed 12 January 2017).
Ecomass Programme, 2005. Eco-efficient Major Event Manual: Greening the Events Layman's Report. Helsinki University of Technology, Lifelong Learning Initiative.
Econ Pöyry, A.B., 2009. Feasibility Study for a Carbon Neutral 2010 FIFA World Cup in South Africa. Norwegian Government (NORAD), Department of Environmental Affairs and Tourism feb. 2009. Available at: http://www.norway.org.za/NR/rdonlyres/3E6BB1B1FD2743E58F5B0BEFBAE7D958/114457/FeasibilityStudyforaCarbonNeutral2010FIFAWorldCup.pdf. (Accessed 12 January 2017).
Enríquez-de-Salamanca, Á., Díaz-Sierra, R., Martín-Aranda, R.M., Santos, M.J., 2017. Environmental Impact Assessment Review. May (64), pp. 87–96.
EPA-Environmental Protection Agency, 2016. Greenhouse gas equivalencies calculator. United states. Available at: https://www.epa.gov/energy/greenhouse-gas-equivalencies-calculator. (Accessed 22 January 2017).
ESPN, F.C., 2016. Premier league statistics. ESPN, 2017. Available at: http://www.espnfc.com/english-premier-league/23/statistics/performance?season=2015. (Accessed 12 January 2017).
EY-Ernst, Young, L.L.P., 2015. The Economic Impact of the Premier League. Ernst & Young, 2015. Available at: http://www.ey.com/Publication/vwLUAssets/EY_-_

The_economic_impact_of_the_Premier_League/$FILE/EY-The-economic-impact-of-the-Premier-League.pdf. (Accessed 12 January 2017).
Farley, B., DeChano-Cook, L.M., Hallett IV, L.F., 2017. Environmental impact of power five conference realignment. Geogr. Bull. 58, 93–106.
FIFA, 2010. Green goal 2010 – legacy report. 2010 FIFA world cup. Available at: http://www.fifa.com/worldcup/archive/southafrica2010/news/newsid=1476740/index.html. (Accessed 12 January 2017).
FIFA, 2011. First environmental programme at a FIFA U-20 world cup. FIFA, August, 12. Available at: http://www.fifa.com/u20worldcup/news/y=2011/m=8/news=first-environmental-programme-fifa-world-cup-1491262.html. (Accessed 5 March 2017).
FIFA, 2013. Sustainability- summary of the 2014 FIFA world cup Brazil™ carbon footprint. FIFA, 2013. Available at: http://resources.fifa.com/mm/document/afsocial/environment/02/83/51/50/summaryofthe2014fwccarbonfootprint_neutral.pdf. (Accessed 12 January 2017).
FIFA, 2014. Sustainability Report of the 2014 FIFA World Cup Brazil™. 96fl, Zürich.
Filimonau, V., Dickinson, J.E., Robbins, D., Huijbregts, M.A.J., 2011. Reviewing the carbon footprint analysis of hotels: life Cycle Energy Analysis (LCEA) as a holistic method for carbon impact appraisal of tourist accommodation. J. Clean. Prod. 19 (17–18), 1917–1930.
Filimonau, V., Dickinson, J., Robbins, D., Reddy, M.V., 2013. The role of 'indirect' greenhouse gas emissions in tourism: assessing the hidden carbon impacts. Transport. Res. Pol. Pract. 54, 78–91.
Filimonau, V., Dickinson, J., Robbins, D., 2014. The carbon impact of short-haul tourism: a case study of UK travel to southern France using life cycle analysis. J. Clean. Prod. 64, 628–638.
Fluminense, F.C., 2014. GHG emissions inventory Fluminense football club. Fluminense FC, February. Available at: http://www.fluminense.com.br/site/futebol/wp-content/uploads/2016/06/Report_Fluminense-FC_version4-1.pdf. (Accessed 15 March 2017).
Fredline, E., Jago, L., Deery, M., 2003. The development of a generic scale to measure the social impact of events. Event Manag. 8 (1), 23–37.
GCP - Global Carbon Project, 2015. Global carbon atlas. Available at: http://www.globalcarbonatlas.org/?q¼en/content/welcome-carbon-atlas. (Accessed 14 December 2016).
Getz, D., 1997. Trends and issues in sport event tourism. Tour. Recreat. Res. 22 (2), 61–74.
Giannoulakis, C., Schulenkorf, N., Blom, L., 2017. The role of change agent and event context in sport-for-development projects. In: 2017 North American Society for Sport Management Conference (NASSM 2017). Available at: http://hdl.handle.net/10453/127054. (Accessed 12 December 2018).
Gibson, H., 1998. Sport tourism: a critical analysis of research. Sport Manag. Rev. 1, 45–76.
Gibson, H., 2003. Sport tourism: an introduction to the special issue. J. Sport Manag. 17, 205–213.
Gibson, H.J., Kaplanidou, K., Jin Kang, S., 2012. Small-scale event sport tourism: a case study in sustainable tourism. Sport Manag. Rev. 15 (2), 160–170.
Gratton, C., Preuss, H., 2008. Maximizing Olympic impacts by building up legacies. Int. J. Hist. Sport 25 (14), 1922–1938.
Gray, R., Kouhy, R., Lavers, S., 1995. Corporate social and environmental reporting: a review of the literature and a longitudinal study of UK disclosure. Account. Audit. Account. J. 8 (2), 47–77.
Gregson, W., Drust, B., Atkinson, G., Di Salvo, V., 2010. Match-to-match variability of high-speed activities in premier league soccer. Int. J. Sports Med. 31 (4), 237–242.
Han, J.H., Nelson, C.M., Kim, C., 2015. Pro-environmental behavior in sport event tourism: roles of event attendees and destinations. Tourism Geogr. 17 (5), 719–737.
Hanandeh, A.E., 2013. Quantifying the carbon footprint of religious tourism: the case of Hajj. J. Clean. Prod. 52, 53–60.
Harris, N., 2015. Premier League dominates all income, and is closing in on the NFL - 10 things we learned from UEFA finance report. Daily Mail, October, 21, 2015. Available at: http://www.dailymail.co.uk/sport/football/article-3281976/Premier-League-dominates-income-closing-NFL-10-things-learned-UEFA-finance-report.html#ixzz4ZYPABv7X. (Accessed 23 February 2017).
Hickman, L., 2011. Which is the greenest football club? The Guardian, November, 8. Available at: https://www.theguardian.com/environment/green-living-blog/2011/nov/08/greenest-football-team-soccer-environment. (Accessed 2 March 2017).
Higham, J. (Ed.), 2005. Sport Tourism Destinations: Issues, Opportunities and Analysis. Elsevier Butterworth Heinemann, Oxford.
Hinch, T.D., Higham, J.E.S., Moyle, B.D., 2016. Sport tourism and sustainable destinations: foundations and pathways. J. Sport Tour. 20 (3–4), 163–173.
House of Lords, 2013. Library Note: Contributions of English Premier League Football to the United Kingdom. Russell Taylor. House of Lords, London. Available at: http://researchbriefings.parliament.uk/ResearchBriefing/Summary/LLN-2013-022. (Accessed 13 January 2017).
IATA - International Air Transport Association, 2013. IATA Technology Roadmap 2013, fourth ed. (Montreal).
IOC - International Olympic Committee, 2004. 2012 candidature Procedure and questionnaire. IOC. Available at: http://multimedia.olympic.org/pdf/en_report810.pdf. (Accessed 5 October 2016).
IOC - International Olympic Committee, 2006. IOC guide on sport, environment and sustainable development. IOC, Lausanne: Switzerland. Available at: http://www.olympic.org/uk/organisation/mission/environment/full_story_ul.asp?id15. (Accessed 6 October 2016).
IOC - International Olympic Committee, 2013. Sustainability through Sport. Lausanne, Suisse, p. 102p.
IPCC - Intergovernmental Panel on Climate Change, 2007. Climate Change 2007: the Physical Science Basis. Contribution of Working Group I. Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge.
Jenkins, H., 2012. The Environmental Impacts of Sport - the Case of Football. Cardiff Case Studies, Cardiff University. Available at: http://www.cardiff.ac.uk/cplan/sites/default/files/CCS-EnvImpactsSport-Football.pdf. (Accessed 27 June 2017).
Kaplanidou, K., 2012. The importance of legacy outcomes for Olympic Games four summer host cities residents' quality of life: 1996–2008. Eur. Sport Manag. Q. 12, 397–433.
Kaplanidou, K., Gibson, H.J., 2010. Predicting behavioral intentions of active event sport tourists: the case of a small-scale recurring sports event. J. S. & Tourism 15, 163–179.
Kaplanidou, K., Karadakis, K., 2010. Understanding the legacies of a host Olympic city: the case of the 2010 Vancouver Olympic games. Sport Market. Q. 19 (2), 110–117.
Khemiri, A., Hassairi, M., 2005. Development of energy efficiency improvement in the Tunisian hotel sector: a case study. Renew. Energy 30 (6), 903–911.
Kim, S.S., Petrick, J.F., 2005. Residents' perceptions on impacts of the FIFA 2002 World Cup: the case of Seoul as a host city. Tourism Manag. 26 (1), 25–38.
Kirkup, N., Sutherland, M., 2015. Exploring the relationships between motivation, attachment and loyalty within sport event tourism. Curr. Issues Tourism 20, 7–14, 2017.
Klein, R.J.T., 2011. Adaptation to climate change. More than technology. In: Linkov, I., Bridges, T.S. (Eds.), Climate: Global Change and Local Adaptation, NATO Science for Peace and Security Series. Springer, Dordrecht, pp. 157–168.
Korstanje, M.E., Tzanelli, R., Clayton, A., 2014. Brazilian World Cup 2014: terrorism, tourism, and social conflict. Event Manag. 18 (4), 487–491.
Kruger, E.A., 2015. Spectators' Contribution to the Environmental Dimension of Sustainable Event Sports Tourism. Faculty of Economic and Management Sciences. University of Pretoria, p. 491p. PhD Dissertation.
LCFC-Leicester City Football Club, 2017. Team. Leicester city football club. Available at: http://www.lcfc.com/team/coaching_staff/. (Accessed 21 January 2017).
League, Premier, 2016. History: discover the origins and history of the top tier of English football. Premier League. Available at: https://www.premierleague.com/history. (Accessed 12 January 2017).
Leopkey, B., Parent, M., 2012. Olympic Games legacy: from general benefits to sustainable long-term legacy. Int. J. Hist. Sport 29 (6), 924–943.
Mallen, C., Chard, C., 2011. A framework for debating the future of environmental sustainability in the sport academy. Sport Manag. Rev. 14 (4), 424–433.
Mallen, C., Stevens, J., Adams, L., McRoberts, S., 2010. The assessment of the environmental performance of an international multi-sport event. Eur. Sport Manag. Q. 10 (1), 97–122.
Manfredi, S., Tonini, D., Christensen, T.H., Scharff, H., 2009. Landfilling of waste: accounting of greenhouse gases and global warming contributions. Waste Manag. Res. 27, 825–836.
McCarthy, M., 2009. Football's carbon footprint comes under fire. Independent, December, 8. Available at: http://www.independent.co.uk/environment/climate-change/footballs-carbon-footprint-comes-under-fire-1836035.html. (Accessed 2 March 2017).
McCool, S., 2015. Sustainable tourism: guiding fiction, social trap or path to resilience? In: Singh, T.V. (Ed.), Challenges in Tourism Research (224–234). Channel View, Bristol.
Miller, T., 2016. The carbon bootprint: can we make football greener? Football Supporters' Federation, April, 05. Available at: http://www.fsf.org.uk/blog/view/the-carbon-boot print-can-we-make-football-greener#sthash.a3NqrUGl.dpuf. (Accessed 2 March 2017).
Morris, H., 2016. Ryanair poised to overtake BA as biggest UK airline, December, 19. Available at: http://www.telegraph.co.uk/travel/news/ryanair-set-to-overtake-british-airways-as-uk-top-airline/. (Accessed 25 June 2017).
Müller, M., 2015. What makes an event a mega-event? Definitions and sizes. Leisure Stud. 34, 627–642. https://doi.org/10.1080/02614367.2014.993333.
Nemry, F., Demirel, H., 2012. Impacts of Climate Change: A Focus on Road and Rail Transport Infrastructures. JRC Scientific and Policy Reports, European Union, Luxembourg.
OC-Organizing Committee, 2011. Fifa Women's World Cup 2011. Football's Footprint - Legacy Report, Frankfurt, Germany.
Okayasu, I., Nogawa, H., Morais, D.B., 2010. Resource investments and loyalty to recreational sport tourism event. J. Travel Tour. Mark. 27 (6), 565–578.
Peeters, P., Gössling, S., Becken, S., 2006. Innovation towards tourism sustainability: climate change and aviation. Int. J. Innov. Sustain. Dev. 1 (3), 184–200.
Pereira, R.P.T., Camara, M.V.O., Ribeiro, G.M., Filimonau, V., 2017. Applying the facility location problem model for selection of more climate benign mega sporting event hosts: a case of the FIFA World Cups. J. Clean. Prod. 159, 147–157.
Pielke, R., Prins, G., Rayner, S., Sarewitz, D., 2007. Lifting the taboo on adaptation. Nature 445, 597–598.
Premier League, 2017. Home. Premier league. Available at: https://www.premierleague.com/home. (Accessed 21 January 2017).
Preuss, H., 2007. FIFA World Cup 2006 and its legacy on tourism. In: Trends and Issues in Global Tourism 2007. Springer, pp. 83–102.
RailMiles, 2016. RailMiles. Available at: http://www.railmiles.me/. (Accessed 15 November 2016).

Reiche, D., 2013. Drivers behind corporate social responsibility in the professional football sector: a case study of the German Bundesliga. Soccer & Society. Available at: https://doi.org/10.1080/14660970.2013.842877. (Accessed 15 March 2017).
Ritchie, B.W., Adair, D., 2004. Sport Tourism: Interrelationships, Impacts and Issues. Channel View Publications, p. 302p.
Robbins, D., 2003. Public transport as a visitors attraction', 86-102. In: Fyall, A., Garrod, B., Leask, A. (Eds.), Managing Visitor Attractions: New Directions. Butterworth Heinemann, Oxford.
Rodrigues Filho, L.C.S.S., 2016. Sustainable development: the strategy of Fluminense football club. Fluminense *FC*. Available at: http://www.fluminense.com.br/site/futebol/wp-content/uploads/2016/06/Sustainable-Development-2.pdf. (Accessed 15 March 2017).
Saporta, L., Mattos, T., Souza, R., 2016. Relatório do inventário de emissões de GEE 2015: Fluminense esportes olímpicos sede social. FBDS-Fundação Brasileira para o Desenvolvimento Sustentável, October, 20. Available at: http://s3.amazonaws.com/assets-fluminense/balances/64/GHG_Inventory_Ol%C3%ADmpico_original. pdf?1481118122. (Accessed 15 March 2017).
Schianetz, K., Kavanagh, L., Lockington, D., 2007. Concepts and tools for comprehensive sustainability assessments for tourism destinations: a comparative review. J. Sustain. Tour. 15 (4), 369–389.
Solberg, H.A., Preuss, H., 2007. Major sport events and long-term tourism impacts. J. Sport Manag. 21, 215–236.
FIFA, 2006. Green Goal – Legacy Report. Stahl, H., Hochfeld, C., Schmied, M. Organizing Committee, 2006 FIFA World Cup, Frankfurt, Germany. Available at: http://www.fifa.com/mm/document/afsocial/environment/01/57/12/66/2006fwcgreengoallegacyreport_en.pdf. (Accessed 12 January 2017).
Stecker, T., Pyper, J., ClimateWire, 2014. Garbage fuel will power British Airways planes. Scientific American. April, 25th. Available at: https://www.scientificamerican.com/article/garbage-fuel-will-power-british-airways-planes/. (Accessed 16 March 2017).
Taks, M., 2013. Social sustainability of non-mega sport events in a global world. EJSS. Eur. J. Sport Soc. 10 (2), 121–141.
Thibault, L., 2009. Globalization of sport: an inconvenient truth. J. Sport Manag. 23, 1–20, 2009.
Transfermarkt, 2017. Competitions. Available at: http://www.transfermarkt.co.uk/wettbewerbe/national/wettbewerbe/136. (Accessed 24 February 2017).
Travelmath, 2016. Travelmath. Available at: http://www.travelmath.com/. (Accessed 15 November 2016).
Triantafyllidis, S., Ries, R.J., Kaplanidou, K., 2018. Carbon dioxide emissions of spectators' transportation in collegiate sporting events: comparing on-campus and off-campus stadium locations. Sustainability 10, 241. https://doi.org/10.3390/su10010241.
UEFA-Union of European Football Associations, 2017. UEFA rankings for club competitions. UEFA. Available at: http://www.uefa.com/memberassociations/uefarankings/country/index.html. (Accessed 12 January 2017).
UEFA Euro 2008TM, 2008. UEFA EURO 2008™ sustainability report. Berne and Vienna. Available at: http://www.uefa.com/MultimediaFiles/Download/Competitions/EURO_/77/42/52/774252_DOWNLOAD.pdf. (Accessed 5 March 2017).
UNEP-United Nations Environment Programme, 2012. Waste and climate change: global trends and strategy framework. Available at: http://www.unep.org/ietc/Portals/136/Publications/Waste%20Management/Waste&ClimateChange.pdf. (Accessed 18 November 2016).
UNWTO-United Nations World Tourism Organization, 2007. Climate Change and Tourism: Responding to Global Challenges. Advanced Summary. UNWTO, Davos.
Visit Britain, 2015. Foresight – Issue 141: Football Tourism Scores for Britain. Inbound visitors that watch live football. September, 2015.
Weed, M., Bull, C., 2004. Sports Tourism: Participants, Policy and Providers. Elsevier Butterworth-Heinemann, Oxford.
Wheeler, K., Nauright, J., 2006. A global perspective on the environmental impact of golf. Sport Soc. 9, 427–443.
Wood, R., 2017. Top 10 list of the world's most popular sports. In: Topend Sports. Available at: http://www.topendsports.com/world/lists/popular-sport/fans.htm. (Accessed 6 June 2017).
Zachariadis, T., Kouvaritakis, N., 2003. Long-term outlook of energy use and CO2 emissions from transport in central and eastern Europe. Energy Policy 31 (8), 759–773.